

1.

:

. , . .47.

.

2016 .

.

(.).

2.

(. 1).

.

– II;

– II;

– 1.3;

– 0;

– 1983 .;

–11291,40 ³

-67200 13620

–915,24 2

(.

1).

:

-

;

-

;

-

;

- ;
 - ;
 , , ,
 .

- ;
 .

:

- $G=600 \text{ / } ^3$ 40 ;
- - $G=1800 \text{ / } ^3$ 40 ;
- 250 0 230 (230);
- $G=250 \text{ / } ^3$ 80 ;
- ;
- 220 .

3.

:

- ;
- ;
-

.

:

- ;
- ;
- ;
- ;
- ;
-

.

1		
2		
		-
		-
3		

4.

,

,

,

1.

1.

.

			(. 2)
1			3
2	()		3
3			4
4			9,2
4			5
5			6

"

4. 53-86 () « »

5. . . «

»

6. « » «

»

7. « » - -

, , . . .

« » 2008 .

« » - ,

. . . « - » 2005 .

Architectural floor plan showing dimensions in millimeters (mm). The plan includes a central corridor and several rooms. Dimensions are provided for overall size, room size, and wall thickness. A scale bar indicates 1 unit equals 1 meter.

Overall dimensions: 13620 mm (width) x 67200 mm (length).

Room dimensions (approximate):

- Room 1 (Top Left): 3920 mm x 6960 mm
- Room 2 (Top Right): 3840 mm x 6960 mm
- Room 3 (Middle Left): 4060 mm x 6960 mm
- Room 4 (Middle Right): 3950 mm x 6960 mm
- Room 5 (Bottom Left): 3930 mm x 6960 mm
- Room 6 (Bottom Right): 3940 mm x 6960 mm
- Room 7 (Bottom Left): 3870 mm x 6960 mm
- Room 8 (Bottom Right): 3970 mm x 6960 mm

Corridor dimensions: 1600 mm (width).

Wall thickness: 120 mm.

Scale: 1 = 1m.

Условные обозначения

- - Фановые трубы (φ100-150 мм)
- - Стойки для монтажа антенн (φ60 мм)

1.



2.



3.



4.



5.



6.



7.



8.



8.



8.

